

---

# **jsonschema Documentation**

***Release 3.2.0***

**Julian Berman**

**Nov 18, 2019**



# CONTENTS

<b>1</b>	<b>Features</b>	<b>3</b>
<b>2</b>	<b>Installation</b>	<b>5</b>
<b>3</b>	<b>Demo</b>	<b>7</b>
<b>4</b>	<b>Release Notes</b>	<b>9</b>
<b>5</b>	<b>Running the Test Suite</b>	<b>11</b>
<b>6</b>	<b>Benchmarks</b>	<b>13</b>
<b>7</b>	<b>Community</b>	<b>15</b>
<b>8</b>	<b>Contributing</b>	<b>17</b>
<b>9</b>	<b>Contents</b>	<b>19</b>
9.1	Schema Validation . . . . .	19
9.2	Handling Validation Errors . . . . .	26
9.3	Resolving JSON References . . . . .	32
9.4	Creating or Extending Validator Classes . . . . .	34
9.5	Frequently Asked Questions . . . . .	36
9.6	Indices and tables . . . . .	38
	<b>Python Module Index</b>	<b>39</b>
	<b>Index</b>	<b>41</b>



jsonschema is an implementation of [JSON Schema](#) for Python (supporting 2.7+ including Python 3).

```
>>> from jsonschema import validate

>>> # A sample schema, like what we'd get from json.load()
>>> schema = {
...     "type" : "object",
...     "properties" : {
...         "price" : {"type" : "number"},
...         "name" : {"type" : "string"},
...     },
... }

>>> # If no exception is raised by validate(), the instance is valid.
>>> validate(instance={"name" : "Eggs", "price" : 34.99}, schema=schema)

>>> validate(
...     instance={"name" : "Eggs", "price" : "Invalid"}, schema=schema,
... )
Traceback (most recent call last):
...
ValidationError: 'Invalid' is not of type 'number'
```

It can also be used from console:

```
$ jsonschema -i sample.json sample.schema
```



## FEATURES

- Full support for [Draft 7](#), [Draft 6](#), [Draft 4](#) and [Draft 3](#)
- [Lazy validation](#) that can iteratively report *all* validation errors.
- [Programmatic querying](#) of which properties or items failed validation.





## INSTALLATION

jsonschema is available on [PyPI](#). You can install using [pip](#):

```
$ pip install jsonschema
```



Try `jsonschema` interactively in this online demo:

[OPEN LIVE DEMO](#)

Online demo Notebook will look similar to this:



## RELEASE NOTES

v3.1 brings support for ECMA 262 dialect regular expressions throughout schemas, as recommended by the specification. Big thanks to @Zac-HD for authoring support in a new [js-regex](#) library.



## **RUNNING THE TEST SUITE**

If you have `tox` installed (perhaps via `pip install tox` or your package manager), running `tox` in the directory of your source checkout will run `jsonschema`'s test suite on all of the versions of Python `jsonschema` supports. If you don't have all of the versions that `jsonschema` is tested under, you'll likely want to run using `tox`'s `--skip-missing-interpreters` option.

Of course you're also free to just run the tests on a single version with your favorite test runner. The tests live in the `jsonschema.tests` package.





## BENCHMARKS

jsonschema's benchmarks make use of `pyperf`.

Running them can be done via `tox -e perf`, or by invoking the `pyperf` commands externally (after ensuring that both it and `jsonschema` itself are installed):

```
$ python -m pyperf jsonschema/benchmarks/test_suite.py --hist --output results.json
```

To compare to a previous run, use:

```
$ python -m pyperf compare_to --table reference.json results.json
```

See the `pyperf` documentation for more details.



## COMMUNITY

There's a [mailing list](#) for this implementation on Google Groups.  
Please join, and feel free to send questions there.



## CONTRIBUTING

I'm Julian Berman.

`jsonschema` is on [GitHub](#).

Get in touch, via GitHub or otherwise, if you've got something to contribute, it'd be most welcome!

You can also generally find me on Freenode (nick: `tos9`) in various channels, including `#python`.

If you feel overwhelmingly grateful, you can also woo me with beer money via Google Pay with the email in my GitHub profile.

And for companies who appreciate `jsonschema` and its continued support and growth, `jsonschema` is also now supportable via [TideLift](#).



## CONTENTS

## 9.1 Schema Validation

### 9.1.1 The Basics

The simplest way to validate an instance under a given schema is to use the `validate()` function.

`jsonschema.validate(instance, schema, cls=None, *args, **kwargs)`

Validate an instance under the given schema.

```
>>> validate([2, 3, 4], {"maxItems": 2})
Traceback (most recent call last):
...
ValidationError: [2, 3, 4] is too long
```

`validate()` will first verify that the provided schema is itself valid, since not doing so can lead to less obvious error messages and fail in less obvious or consistent ways.

If you know you have a valid schema already, especially if you intend to validate multiple instances with the same schema, you likely would prefer using the `Validator.validate` method directly on a specific validator (e.g. `Draft7Validator.validate`).

#### Parameters

- **instance** – The instance to validate
- **schema** – The schema to validate with
- **cls** (`Validator`) – The class that will be used to validate the instance.

If the `cls` argument is not provided, two things will happen in accordance with the specification. First, if the schema has a `$schema` property containing a known meta-schema<sup>1</sup> then the proper validator will be used. The specification recommends that all schemas contain `$schema` properties for this reason. If no `$schema` property is found, the default validator class is the latest released draft.

Any other provided positional and keyword arguments will be passed on when instantiating the `cls`.

#### Raises

- `jsonschema.exceptions.ValidationError` – is invalid
- `jsonschema.exceptions.SchemaError` – is invalid

---

<sup>1</sup> known by a validator registered with `jsonschema.validators.validates`

## 9.1.2 The Validator Interface

*jsonschema* defines an (informal) interface that all validator classes should adhere to.

**class** `jsonschema.Validator` (*schema*, *types=()*, *resolver=None*, *format\_checker=None*)

### Parameters

- **schema** (*dict*) – the schema that the validator object will validate with. It is assumed to be valid, and providing an invalid schema can lead to undefined behavior. See *Validator.check\_schema* to validate a schema first.
- **resolver** – an instance of *RefResolver* that will be used to resolve *\$ref* properties (JSON references). If unprovided, one will be created.
- **format\_checker** – an instance of *FormatChecker* whose *FormatChecker.conforms* method will be called to check and see if instances conform to each *format* property present in the schema. If unprovided, no validation will be done for *format*. Certain formats require additional packages to be installed (ipv5, uri, color, date-time). The required packages can be found at the bottom of this page.
- **types** – Deprecated since version 3.0.0: Use *TypeChecker.redefine* and *jsonschema.validators.extend* instead of this argument.

See *Validating With Additional Types* for details.

If used, this overrides or extends the list of known types when validating the *type* property.

What is provided should map strings (type names) to class objects that will be checked via *isinstance*.

### META\_SCHEMA

An object representing the validator’s meta schema (the schema that describes valid schemas in the given version).

### VALIDATORS

A mapping of validator names (*strs*) to functions that validate the validator property with that name. For more information see *Creating or Extending Validator Classes*.

### TYPE\_CHECKER

A *TypeChecker* that will be used when validating *type* properties in JSON schemas.

### schema

The schema that was passed in when initializing the object.

### DEFAULT\_TYPES

Deprecated since version 3.0.0: Use of this attribute is deprecated in favor of the new *type checkers*.

See *Validating With Additional Types* for details.

For backwards compatibility on existing validator classes, a mapping of JSON types to Python class objects which define the Python types for each JSON type.

Any existing code using this attribute should likely transition to using *TypeChecker.is\_type*.

### classmethod check\_schema (schema)

Validate the given schema against the validator’s *META\_SCHEMA*.

**Raises** *jsonschema.exceptions.SchemaError* if the schema is invalid

### is\_type (instance, type)

Check if the instance is of the given (JSON Schema) type.

**Return type** *bool*



Raises `jsonschema.exceptions.UnknownType` if `type` is not a known type.

**is\_valid** (*instance*)

Check if the instance is valid under the current *schema*.

**Return type** `bool`

```
>>> schema = {"maxItems" : 2}
>>> Draft3Validator(schema).is_valid([2, 3, 4])
False
```

**iter\_errors** (*instance*)

Lazily yield each of the validation errors in the given instance.

**Return type** an `collections.Iterable` of `jsonschema.exceptions.ValidationErrors`

```
>>> schema = {
...     "type" : "array",
...     "items" : {"enum" : [1, 2, 3]},
...     "maxItems" : 2,
... }
>>> v = Draft3Validator(schema)
>>> for error in sorted(v.iter_errors([2, 3, 4]), key=str):
...     print(error.message)
4 is not one of [1, 2, 3]
[2, 3, 4] is too long
```

**validate** (*instance*)

Check if the instance is valid under the current *schema*.

Raises `jsonschema.exceptions.ValidationError` if the instance is invalid

```
>>> schema = {"maxItems" : 2}
>>> Draft3Validator(schema).validate([2, 3, 4])
Traceback (most recent call last):
...
ValidationError: [2, 3, 4] is too long
```

All of the *versioned validators* that are included with *jsonschema* adhere to the interface, and implementers of validator classes that extend or complement the ones included should adhere to it as well. For more information see *Creating or Extending Validator Classes*.

### 9.1.3 Type Checking

To handle JSON Schema's `type` property, a *Validator* uses an associated *TypeChecker*. The type checker provides an immutable mapping between names of types and functions that can test if an instance is of that type. The defaults are suitable for most users - each of the *versioned validators* that are included with *jsonschema* have a *TypeChecker* that can correctly handle their respective versions.

**See also:**

*Validating With Additional Types*

For an example of providing a custom type check.

```
class jsonschema.TypeChecker (type_checkers=pmap({}))
    A type property checker.
```

A *TypeChecker* performs type checking for an *IValidator*. Type checks to perform are updated using *TypeChecker.redefine* or *TypeChecker.redefine\_many* and removed via *TypeChecker.remove*. Each of these return a new *TypeChecker* object.

**Parameters** *type\_checkers* (*dict*) – The initial mapping of types to their checking functions.

**is\_type** (*instance*, *type*)

Check if the instance is of the appropriate type.

**Parameters**

- **instance** (*object*) – The instance to check
- **type** (*str*) – The name of the type that is expected.

**Returns** Whether it conformed.

**Return type** *bool*

**Raises** *jsonschema.exceptions.UndefinedTypeCheck* – if type is unknown to this object.

**redefine** (*type*, *fn*)

Produce a new checker with the given type redefined.

**Parameters**

- **type** (*str*) – The name of the type to check.
- **fn** (*collections.Callable*) – A function taking exactly two parameters - the type checker calling the function and the instance to check. The function should return true if instance is of this type and false otherwise.

**Returns** A new *TypeChecker* instance.

**redefine\_many** (*definitions*=())

Produce a new checker with the given types redefined.

**Parameters** *definitions* (*dict*) – A dictionary mapping types to their checking functions.

**Returns** A new *TypeChecker* instance.

**remove** (\**types*)

Produce a new checker with the given types forgotten.

**Parameters** *types* (*Iterable*) – the names of the types to remove.

**Returns** A new *TypeChecker* instance

**Raises** *jsonschema.exceptions.UndefinedTypeCheck* – if any given type is unknown to this object

**exception** *jsonschema.exceptions.UndefinedTypeCheck* (*type*)

A type checker was asked to check a type it did not have registered.

Raised when trying to remove a type check that is not known to this *TypeChecker*, or when calling *jsonschema.TypeChecker.is\_type* directly.

## Validating With Additional Types

Occasionally it can be useful to provide additional or alternate types when validating the JSON Schema's *type* property.

*jsonschema* tries to strike a balance between performance in the common case and generality. For instance, JSON Schema defines a *number* type, which can be validated with a schema such as {"type" : "number"}. By default, this will accept instances of Python *numbers.Number*. This includes in particular *ints* and *floats*,

along with `decimal.Decimal` objects, complex numbers etc. For integer and object, however, rather than checking for `numbers.Integral` and `collections.abc.Mapping`, *jsonschema* simply checks for `int` and `dict`, since the more general instance checks can introduce significant slowdown, especially given how common validating these types are.

If you *do* want the generality, or just want to add a few specific additional types as being acceptable for a validator object, then you should update an existing *TypeChecker* or create a new one. You may then create a new *IValidator* via *jsonschema.validators.extend*.

```
class MyInteger(object):
    pass

def is_my_int(checker, instance):
    return (
        Draft3Validator.TYPE_CHECKER.is_type(instance, "number") or
        isinstance(instance, MyInteger)
    )

type_checker = Draft3Validator.TYPE_CHECKER.redefine("number", is_my_int)

CustomValidator = extend(Draft3Validator, type_checker=type_checker)
validator = CustomValidator(schema={"type": "number"})
```

**exception** *jsonschema.exceptions.UnknownType* (*type*, *instance*, *schema*)  
A validator was asked to validate an instance against an unknown type.

### 9.1.4 Versioned Validators

*jsonschema* ships with validator classes for various versions of the JSON Schema specification. For details on the methods and attributes that each validator class provides see the *IValidator* interface, which each included validator class implements.

```
class jsonschema.Draft7Validator(schema, types=(), resolver=None, format_checker=None)
```

```
class jsonschema.Draft6Validator(schema, types=(), resolver=None, format_checker=None)
```

```
class jsonschema.Draft4Validator(schema, types=(), resolver=None, format_checker=None)
```

```
class jsonschema.Draft3Validator(schema, types=(), resolver=None, format_checker=None)
```

For example, if you wanted to validate a schema you created against the Draft 6 meta-schema, you could use:

```
from jsonschema import Draft6Validator

schema = {
    "$schema": "https://json-schema.org/schema#",
    "type": "object",
    "properties": {
        "name": {"type": "string"},
        "email": {"type": "string"},
    },
    "required": ["email"]
}

Draft6Validator.check_schema(schema)
```

## 9.1.5 Validating Formats

JSON Schema defines the `format` property which can be used to check if primitive types (strings, numbers, booleans) conform to well-defined formats. By default, no validation is enforced, but optionally, validation can be enabled by hooking in a format-checking object into an *Validator*.

```
>>> validate("localhost", {"format" : "hostname"})
>>> validate(
...     instance="-12",
...     schema={"format" : "hostname"},
...     format_checker=draft7_format_checker,
... )
Traceback (most recent call last):
...
ValidationError: "-12" is not a "hostname"
```

**class** jsonschema.**FormatChecker** (*formats=None*)

A format property checker.

JSON Schema does not mandate that the `format` property actually do any validation. If validation is desired however, instances of this class can be hooked into validators to enable format validation.

*FormatChecker* objects always return `True` when asked about formats that they do not know how to validate.

To check a custom format using a function that takes an instance and returns a `bool`, use the *FormatChecker.checks* or *FormatChecker.cls\_checks* decorators.

**Parameters** *formats* (*Iterable*) – The known formats to validate. This argument can be used to limit which formats will be used during validation.

### checkers

A mapping of currently known formats to tuple of functions that validate them and errors that should be caught. New checkers can be added and removed either per-instance or globally for all checkers using the *FormatChecker.checks* or *FormatChecker.cls\_checks* decorators respectively.

**classmethod** *cls\_checks* (*format, raises=()*)

Register a decorated function as *globally* validating a new format.

Any instance created after this function is called will pick up the supplied checker.

#### Parameters

- **format** (*str*) – the format that the decorated function will check
- **raises** (*Exception*) – the exception(s) raised by the decorated function when an invalid instance is found. The exception object will be accessible as the *jsonschema.exceptions.ValidationError.cause* attribute of the resulting validation error.

**check** (*instance, format*)

Check whether the instance conforms to the given format.

#### Parameters

- **instance** (*any primitive type*, i.e. `str`, `number`, `bool`) – The instance to check
- **format** (*str*) – The format that instance should conform to

**Raises** *FormatError* – if the instance does not conform to `format`

**checks** (*format, raises=()*)

Register a decorated function as validating a new format.

### Parameters

- **format** (*str*) – The format that the decorated function will check.
- **raises** (*Exception*) – The exception(s) raised by the decorated function when an invalid instance is found.

The exception object will be accessible as the `jsonschema.exceptions.ValidationError.cause` attribute of the resulting validation error.

**conforms** (*instance, format*)

Check whether the instance conforms to the given format.

### Parameters

- **instance** (*any primitive type*, i.e. str, number, bool) – The instance to check
- **format** (*str*) – The format that instance should conform to

**Returns** whether it conformed

**Return type** bool

**exception** `jsonschema.FormatError` (*message, cause=None*)

Validating a format failed.

There are a number of default checkers that `FormatCheckers` know how to validate. Their names can be viewed by inspecting the `FormatChecker.checkers` attribute. Certain checkers will only be available if an appropriate package is available for use. The easiest way to ensure you have what is needed is to install `jsonschema` using the `format` or `format_nongpl` `setuptools` extra – i.e.

```
$ pip install jsonschema[format]
```

which will install all of the below dependencies for all formats.

Or if you want to install MIT-license compatible dependencies only:

```
$ pip install jsonschema[format_nongpl]
```

The non-GPL extra is intended to not install any direct dependencies that are GPL (but that of course end-users should do their own verification). At the moment, it supports all the available checkers except for `iri` and `iri-reference`.

The more specific list of available checkers, along with their requirement (if any,) are listed below.

---

**Note:** If the following packages are not installed when using a checker that requires it, validation will succeed without throwing an error, as specified by the JSON Schema specification.

---

Checker	Notes
color	requires <a href="#">webcolors</a>
date	
date-time	requires <a href="#">strict-rfc3339</a> or <a href="#">rfc3339-validator</a>
email	
hostname	
idn-hostname	requires <a href="#">idna</a>
ipv4	
ipv6	OS must have <code>socket.inet_pton</code> function
iri	requires <a href="#">rfc3987</a>
iri-reference	requires <a href="#">rfc3987</a>
json-pointer	requires <a href="#">jsonpointer</a>
regex	
relative-json-pointer	requires <a href="#">jsonpointer</a>
time	requires <a href="#">strict-rfc3339</a> or <a href="#">rfc3339-validator</a>
uri	requires <a href="#">rfc3987</a> or <a href="#">rfc3986-validator</a>
uri-reference	requires <a href="#">rfc3987</a> or <a href="#">rfc3986-validator</a>

**Note:** Since in most cases “validating” an email address is an attempt instead to confirm that mail sent to it will deliver to a recipient, and that that recipient is the correct one the email is intended for, and since many valid email addresses are in many places incorrectly rejected, and many invalid email addresses are in many places incorrectly accepted, the `email` format validator only provides a sanity check, not full [rfc5322](#) validation.

The same applies to the `idn-email` format.

## 9.2 Handling Validation Errors

When an invalid instance is encountered, a `ValidationError` will be raised or returned, depending on which method or function is used.

**exception** `jsonschema.exceptions.ValidationError` (*message*, *validator=<unset>*,  
*path=()*, *cause=None*, *context=()*,  
*validator\_value=<unset>*, *in-*  
*stance=<unset>*, *schema=<unset>*,  
*schema\_path=()*, *parent=None*)

An instance was invalid under a provided schema.

The information carried by an error roughly breaks down into:

What Happened	Why Did It Happen	What Was Being Validated
<i>message</i>	<i>context</i> <i>cause</i>	<i>instance</i> <i>path</i> <i>schema</i> <i>schema_path</i> <i>validator</i> <i>validator_value</i>

**message**

A human readable message explaining the error.

**validator**

The name of the failed `validator`.

**validator\_value**

The value for the failed validator in the schema.

**schema**

The full schema that this error came from. This is potentially a subschema from within the schema that was passed in originally, or even an entirely different schema if a `$ref` was followed.

**relative\_schema\_path**

A `collections.deque` containing the path to the failed validator within the schema.

**absolute\_schema\_path**

A `collections.deque` containing the path to the failed validator within the schema, but always relative to the *original* schema as opposed to any subschema (i.e. the one originally passed into a validator class, *not* `schema`).

**schema\_path**

Same as `relative_schema_path`.

**relative\_path**

A `collections.deque` containing the path to the offending element within the instance. The deque can be empty if the error happened at the root of the instance.

**absolute\_path**

A `collections.deque` containing the path to the offending element within the instance. The absolute path is always relative to the *original* instance that was validated (i.e. the one passed into a validation method, *not* `instance`). The deque can be empty if the error happened at the root of the instance.

**path**

Same as `relative_path`.

**instance**

The instance that was being validated. This will differ from the instance originally passed into `validate` if the validator object was in the process of validating a (possibly nested) element within the top-level instance. The path within the top-level instance (i.e. `ValidationError.path`) could be used to find this object, but it is provided for convenience.

**context**

If the error was caused by errors in subschemas, the list of errors from the subschemas will be available on this property. The `schema_path` and `path` of these errors will be relative to the parent error.

**cause**

If the error was caused by a *non-validation* error, the exception object will be here. Currently this is only used for the exception raised by a failed format checker in `jsonschema.FormatChecker.check`.

**parent**

A validation error which this error is the `context` of. None if there wasn't one.

In case an invalid schema itself is encountered, a `SchemaError` is raised.

**exception** `jsonschema.exceptions.SchemaError` (`message`, `validator=<unset>`, `path=()`, `cause=None`, `context=()`, `validator_value=<unset>`, `instance=<unset>`, `schema=<unset>`, `schema_path=()`, `parent=None`)

A schema was invalid under its corresponding metaschema.

The same attributes are present as for `ValidationErrors`.

These attributes can be clarified with a short example:

```
schema = {
    "items": {
        "anyOf": [
            {"type": "string", "maxLength": 2},
            {"type": "integer", "minimum": 5}
        ]
    }
}
instance = [{}, 3, "foo"]
v = Draft7Validator(schema)
errors = sorted(v.iter_errors(instance), key=lambda e: e.path)
```

The error messages in this situation are not very helpful on their own.

```
for error in errors:
    print(error.message)
```

outputs:

```
{ } is not valid under any of the given schemas
3 is not valid under any of the given schemas
'foo' is not valid under any of the given schemas
```

If we look at `ValidationError.path` on each of the errors, we can find out which elements in the instance correspond to each of the errors. In this example, `ValidationError.path` will have only one element, which will be the index in our list.

```
for error in errors:
    print(list(error.path))
```

```
[0]
[1]
[2]
```

Since our schema contained nested subschemas, it can be helpful to look at the specific part of the instance and subschema that caused each of the errors. This can be seen with the `ValidationError.instance` and `ValidationError.schema` attributes.

With validators like `anyOf`, the `ValidationError.context` attribute can be used to see the sub-errors which caused the failure. Since these errors actually came from two separate subschemas, it can be helpful to look at the `ValidationError.schema_path` attribute as well to see where exactly in the schema each of these errors come from. In the case of sub-errors from the `ValidationError.context` attribute, this path will be relative to the `ValidationError.schema_path` of the parent error.

```
for error in errors:
    for suberror in sorted(error.context, key=lambda e: e.schema_path):
        print(list(suberror.schema_path), suberror.message, sep=", ")
```

```
[0, 'type'], { } is not of type 'string'
[1, 'type'], { } is not of type 'integer'
[0, 'type'], 3 is not of type 'string'
[1, 'minimum'], 3 is less than the minimum of 5
[0, 'maxLength'], 'foo' is too long
[1, 'type'], 'foo' is not of type 'integer'
```

The string representation of an error combines some of these attributes for easier debugging.



```
print(errors[1])
```

```
3 is not valid under any of the given schemas

Failed validating 'anyOf' in schema['items']:
    {'anyOf': [{'maxLength': 2, 'type': 'string'},
               {'minimum': 5, 'type': 'integer'}]}

On instance[1]:
    3
```

### 9.2.1 ErrorTrees

If you want to programmatically be able to query which properties or validators failed when validating a given instance, you probably will want to do so using `jsonschema.exceptions.ErrorTree` objects.

**class** `jsonschema.exceptions.ErrorTree(errors=())`

ErrorTrees make it easier to check which validations failed.

**errors**

The mapping of validator names to the error objects (usually `jsonschema.exceptions.ValidationErrors`) at this level of the tree.

**\_\_contains\_\_**(*index*)

Check whether `instance[index]` has any errors.

**\_\_getitem\_\_**(*index*)

Retrieve the child tree one level down at the given index.

If the index is not in the instance that this tree corresponds to and is not known by this tree, whatever error would be raised by `instance.__getitem__` will be propagated (usually this is some subclass of `exceptions.LookupError`).

**\_\_init\_\_**(*errors=()*)

Initialize self. See `help(type(self))` for accurate signature.

**\_\_iter\_\_**()

Iterate (non-recursively) over the indices in the instance with errors.

**\_\_len\_\_**()

Return the `total_errors`.

**\_\_repr\_\_**()

Return `repr(self)`.

**\_\_setitem\_\_**(*index, value*)

Add an error to the tree at the given index.

**property total\_errors**

The total number of errors in the entire tree, including children.

Consider the following example:

```
schema = {
    "type" : "array",
    "items" : {"type" : "number", "enum" : [1, 2, 3]},
    "minItems" : 3,
}
instance = ["spam", 2]
```

For clarity's sake, the given instance has three errors under this schema:

```
v = Draft3Validator(schema)
for error in sorted(v.iter_errors(["spam", 2]), key=str):
    print(error.message)
```

```
'spam' is not of type 'number'
'spam' is not one of [1, 2, 3]
['spam', 2] is too short
```

Let's construct an `jsonschema.exceptions.ErrorTree` so that we can query the errors a bit more easily than by just iterating over the error objects.

```
tree = ErrorTree(v.iter_errors(instance))
```

As you can see, `jsonschema.exceptions.ErrorTree` takes an iterable of `ValidationErrors` when constructing a tree so you can directly pass it the return value of a validator object's `jsonschema.Validator.iter_errors` method.

`ErrorTrees` support a number of useful operations. The first one we might want to perform is to check whether a given element in our instance failed validation. We do so using the `in` operator:

```
>>> 0 in tree
True

>>> 1 in tree
False
```

The interpretation here is that the 0th index into the instance ("spam") did have an error (in fact it had 2), while the 1th index (2) did not (i.e. it was valid).

If we want to see which errors a child had, we index into the tree and look at the `ErrorTree.errors` attribute.

```
>>> sorted(tree[0].errors)
['enum', 'type']
```

Here we see that the `enum` and `type` validators failed for index 0. In fact `ErrorTree.errors` is a dict, whose values are the `ValidationErrors`, so we can get at those directly if we want them.

```
>>> print(tree[0].errors["type"].message)
'spam' is not of type 'number'
```

Of course this means that if we want to know if a given named validator failed for a given index, we check for its presence in `ErrorTree.errors`:

```
>>> "enum" in tree[0].errors
True

>>> "minimum" in tree[0].errors
False
```

Finally, if you were paying close enough attention, you'll notice that we haven't seen our `minItems` error appear anywhere yet. This is because `minItems` is an error that applies globally to the instance itself. So it appears in the root node of the tree.

```
>>> "minItems" in tree.errors
True
```

That’s all you need to know to use error trees.

To summarize, each tree contains child trees that can be accessed by indexing the tree to get the corresponding child tree for a given index into the instance. Each tree and child has a `ErrorTree.errors` attribute, a dict, that maps the failed validator name to the corresponding validation error.

## 9.2.2 best\_match and relevance

The `best_match` function is a simple but useful function for attempting to guess the most relevant error in a given bunch.

```
>>> from jsonschema import Draft7Validator
>>> from jsonschema.exceptions import best_match

>>> schema = {
...     "type": "array",
...     "minItems": 3,
... }
>>> print(best_match(Draft7Validator(schema).iter_errors(11)).message)
11 is not of type 'array'
```

`jsonschema.exceptions.best_match(errors, key=<function by_relevance.<locals>.relevance>)`

Try to find an error that appears to be the best match among given errors.

In general, errors that are higher up in the instance (i.e. for which `ValidationError.path` is shorter) are considered better matches, since they indicate “more” is wrong with the instance.

If the resulting match is either `oneOf` or `anyOf`, the *opposite* assumption is made – i.e. the deepest error is picked, since these validators only need to match once, and any other errors may not be relevant.

### Parameters

- **errors** (`collections.Iterable`) – the errors to select from. Do not provide a mixture of errors from different validation attempts (i.e. from different instances or schemas), since it won’t produce sensical output.
- **key** (`collections.Callable`) – the key to use when sorting errors. See `relevance` and transitively `by_relevance` for more details (the default is to sort with the defaults of that function). Changing the default is only useful if you want to change the function that rates errors but still want the error context descent done by this function.

**Returns** the best matching error, or `None` if the iterable was empty

---

**Note:** This function is a heuristic. Its return value may change for a given set of inputs from version to version if better heuristics are added.

---

`jsonschema.exceptions.relevance(validation_error)`

A key function that sorts errors based on heuristic relevance.

If you want to sort a bunch of errors entirely, you can use this function to do so. Using this function as a key to e.g. `sorted` or `max` will cause more relevant errors to be considered greater than less relevant ones.

Within the different validators that can fail, this function considers `anyOf` and `oneOf` to be *weak* validation errors, and will sort them lower than other validators at the same level in the instance.

If you want to change the set of weak [or strong] validators you can create a custom version of this function with `by_relevance` and provide a different set of each.

```
>>> schema = {
...     "properties": {
...         "name": {"type": "string"},
...         "phones": {
...             "properties": {
...                 "home": {"type": "string"}
...             },
...         },
...     },
... }
>>> instance = {"name": 123, "phones": {"home": [123]}}
>>> errors = Draft7Validator(schema).iter_errors(instance)
>>> [
...     e.path[-1]
...     for e in sorted(errors, key=exceptions.relevance)
... ]
['home', 'name']
```

`jsonschema.exceptions.by_relevance` (*weak=frozenset({'anyOf', 'oneOf'}), strong=frozenset({})*)

Create a key function that can be used to sort errors by relevance.

#### Parameters

- **weak** (*set*) – a collection of validator names to consider to be “weak”. If there are two errors at the same level of the instance and one is in the set of weak validator names, the other error will take priority. By default, `anyOf` and `oneOf` are considered weak validators and will be superseded by other same-level validation errors.
- **strong** (*set*) – a collection of validator names to consider to be “strong”

## 9.3 Resolving JSON References

**class** `jsonschema.RefResolver` (*base\_uri, referrer, store=(), cache\_remote=True, handlers=(), urljoin\_cache=None, remote\_cache=None*)

Resolve JSON References.

#### Parameters

- **base\_uri** (*str*) – The URI of the referring document
- **referrer** – The actual referring document
- **store** (*dict*) – A mapping from URIs to documents to cache
- **cache\_remote** (*bool*) – Whether remote refs should be cached after first resolution
- **handlers** (*dict*) – A mapping from URI schemes to functions that should be used to retrieve them
- **urljoin\_cache** (*functools.lru\_cache()*) – A cache that will be used for caching the results of joining the resolution scope to subscopes.
- **remote\_cache** (*functools.lru\_cache()*) – A cache that will be used for caching the results of resolved remote URLs.

#### **cache\_remote**

Whether remote refs should be cached after first resolution

Type `bool`

**property base\_uri**

Retrieve the current base URI, not including any fragment.

**classmethod from\_schema** (*schema*, *id\_of*=<function \_id\_of>, \*args, \*\*kwargs)

Construct a resolver from a JSON schema object.

**Parameters** *schema* – the referring schema

**Returns** *RefResolver*

**in\_scope** (*scope*)

Temporarily enter the given scope for the duration of the context.

**pop\_scope** ()

Exit the most recent entered scope.

Treats further dereferences as being performed underneath the original scope.

Don't call this method more times than *push\_scope* has been called.

**push\_scope** (*scope*)

Enter a given sub-scope.

Treats further dereferences as being performed underneath the given scope.

**property resolution\_scope**

Retrieve the current resolution scope.

**resolve** (*ref*)

Resolve the given reference.

**resolve\_fragment** (*document*, *fragment*)

Resolve a *fragment* within the referenced document.

**Parameters**

- **document** – The referent document
- **fragment** (*str*) – a URI fragment to resolve within it

**resolve\_from\_url** (*url*)

Resolve the given remote URL.

**resolve\_remote** (*uri*)

Resolve a remote *uri*.

If called directly, does not check the store first, but after retrieving the document at the specified URI it will be saved in the store if *cache\_remote* is True.

---

**Note:** If the *requests* library is present, jsonschema will use it to request the remote *uri*, so that the correct encoding is detected and used.

If it isn't, or if the scheme of the *uri* is not http or https, UTF-8 is assumed.

---

**Parameters** *uri* (*str*) – The URI to resolve

**Returns** The retrieved document

**resolving** (*ref*)

Resolve the given *ref* and enter its resolution scope.

Exits the scope on exit of this context manager.

**Parameters** `ref (str)` – The reference to resolve

**exception** `jsonschema.RefResolutionError (cause)`

A ref could not be resolved.

A JSON reference failed to resolve.

## 9.4 Creating or Extending Validator Classes

`jsonschema.validators.create (meta_schema, validators=(), version=None, default_types=None, type_checker=None, id_of=<function _id_of>)`

Create a new validator class.

### Parameters

- **meta\_schema** (`collections.Mapping`) – the meta schema for the new validator class
- **validators** (`collections.Mapping`) – a mapping from names to callables, where each callable will validate the schema property with the given name.

Each callable should take 4 arguments:

1. a validator instance,
2. the value of the property being validated within the instance
3. the instance
4. the schema

- **version** (`str`) – an identifier for the version that this validator class will validate. If provided, the returned validator class will have its `__name__` set to include the version, and also will have `jsonschema.validators.validates` automatically called for the given version.

- **type\_checker** (`jsonschema.TypeChecker`) – a type checker, used when applying the `type` validator.

If unprovided, a `jsonschema.TypeChecker` will be created with a set of default types typical of JSON Schema drafts.

- **default\_types** (`collections.Mapping`) – Deprecated since version 3.0.0: Please use the `type_checker` argument instead.

If set, it provides mappings of JSON types to Python types that will be converted to functions and redefined in this object's `jsonschema.TypeChecker`.

- **id\_of** (`collections.Callable`) – A function that given a schema, returns its ID.

**Returns** a new `jsonschema.Validator` class

`jsonschema.validators.extend (validator, validators=(), version=None, type_checker=None)`

Create a new validator class by extending an existing one.

### Parameters

- **validator** (`jsonschema.Validator`) – an existing validator class
- **validators** (`collections.Mapping`) – a mapping of new validator callables to extend with, whose structure is as in `create`.

---

**Note:** Any validator callables with the same name as an existing one will (silently) replace the old validator callable entirely, effectively overriding any validation done in the “parent” validator class.

If you wish to instead extend the behavior of a parent’s validator callable, delegate and call it directly in the new validator function by retrieving it using `OldValidator.VALIDATORS["validator_name"]`.

---

- **version** (*str*) – a version for the new validator class
- **type\_checker** (`jsonschema.TypeChecker`) – a type checker, used when applying the *type* validator.

If unprovided, the type checker of the extended `jsonschema.Validator` will be carried along.

**Returns** a new `jsonschema.Validator` class extending the one provided

---

**Note:** Meta Schemas

The new validator class will have its parent’s meta schema.

If you wish to change or extend the meta schema in the new validator class, modify `META_SCHEMA` directly on the returned class. Note that no implicit copying is done, so a copy should likely be made before modifying it, in order to not affect the old validator.

---

```
jsonschema.validators.validator_for(schema, default=<class schema.validators.create.<locals>.Validator'>)
```

Retrieve the validator class appropriate for validating the given schema.

Uses the `$schema` property that should be present in the given schema to look up the appropriate validator class.

#### Parameters

- **schema** (`collections.Mapping` or `bool`) – the schema to look at
- **default** – the default to return if the appropriate validator class cannot be determined.

If unprovided, the default is to return the latest supported draft.

```
jsonschema.validators.validates(version)
```

Register the decorated validator for a *version* of the specification.

Registered validators and their meta schemas will be considered when parsing `$schema` properties’ URIs.

**Parameters** **version** (*str*) – An identifier to use as the version’s name

**Returns** a class decorator to decorate the validator with the version

**Return type** `collections.Callable`

### 9.4.1 Creating Validation Errors

Any validating function that validates against a subschema should call `descend`, rather than `iter_errors`. If it recurses into the instance, or schema, it should pass one or both of the `path` or `schema_path` arguments to `descend` in order to properly maintain where in the instance or schema respectively the error occurred.

## 9.5 Frequently Asked Questions

### 9.5.1 Why doesn't my schema's default property set the default on my instance?

The basic answer is that the specification does not require that `default` actually do anything.

For an inkling as to *why* it doesn't actually do anything, consider that none of the other validators modify the instance either. More importantly, having `default` modify the instance can produce quite peculiar things. It's perfectly valid (and perhaps even useful) to have a default that is not valid under the schema it lives in! So an instance modified by the default would pass validation the first time, but fail the second!

Still, filling in defaults is a thing that is useful. *jsonschema* allows you to *define your own validator classes and callables*, so you can easily create an *jsonschema.Validator* that does do default setting. Here's some code to get you started. (In this code, we add the default properties to each object *before* the properties are validated, so the default values themselves will need to be valid under the schema.)

```
from jsonschema import Draft7Validator, validators

def extend_with_default(validator_class):
    validate_properties = validator_class.VALIDATORS["properties"]

    def set_defaults(validator, properties, instance, schema):
        for property, subschema in properties.items():
            if "default" in subschema:
                instance.setdefault(property, subschema["default"])

        for error in validate_properties(
            validator, properties, instance, schema,
        ):
            yield error

    return validators.extend(
        validator_class, {"properties": set_defaults},
    )

DefaultValidatingDraft7Validator = extend_with_default(Draft7Validator)

# Example usage:
obj = {}
schema = {'properties': {'foo': {'default': 'bar'}}}
# Note jsonschema.validate(obj, schema, cls=DefaultValidatingDraft7Validator)
# will not work because the metaschema contains `default` directives.
DefaultValidatingDraft7Validator(schema).validate(obj)
assert obj == {'foo': 'bar'}
```

See the above-linked document for more info on how this works, but basically, it just extends the `properties` validator on a *jsonschema.Draft7Validator* to then go ahead and update all the defaults.

---

**Note:** If you're interested in a more interesting solution to a larger class of these types of transformations, keep an eye on [Seep](#), which is an experimental data transformation and extraction library written on top of *jsonschema*.

---

---

**Hint:** The above code can provide default values for an entire object and all of its properties, but only if your schema

---



provides a default value for the object itself, like so:

```
schema = {
    "type": "object",
    "properties": {
        "outer-object": {
            "type": "object",
            "properties": {
                "inner-object": {
                    "type": "string",
                    "default": "INNER-DEFAULT"
                }
            },
            "default": {} # <-- MUST PROVIDE DEFAULT OBJECT
        }
    }
}

obj = {}
DefaultValidatingDraft7Validator(schema).validate(obj)
assert obj == {'outer-object': {'inner-object': 'INNER-DEFAULT'}}
```

... but if you don't provide a default value for your object, then it won't be instantiated at all, much less populated with default properties.

```
del schema["properties"]["outer-object"]["default"]
obj2 = {}
DefaultValidatingDraft7Validator(schema).validate(obj2)
assert obj2 == {} # whoops
```

## 9.5.2 How do jsonschema version numbers work?

jsonschema tries to follow the [Semantic Versioning](#) specification.

This means broadly that no backwards-incompatible changes should be made in minor releases (and certainly not in dot releases).

The full picture requires defining what constitutes a backwards-incompatible change.

The following are simple examples of things considered public API, and therefore should *not* be changed without bumping a major version number:

- module names and contents, when not marked private by Python convention (a single leading underscore)
- function and object signature (parameter order and name)

The following are *not* considered public API and may change without notice:

- the exact wording and contents of error messages; typical reasons to do this seem to involve unit tests. API users are encouraged to use the extensive introspection provided in `jsonschema.exceptions.ValidationErrors` instead to make meaningful assertions about what failed.
- the order in which validation errors are returned or raised
- the contents of the `jsonschema.tests` package
- the contents of the `jsonschema.benchmarks` package
- the `jsonschema.compat` module, which is for internal compatibility use

- anything marked private

With the exception of the last two of those, flippant changes are avoided, but changes can and will be made if there is improvement to be had. Feel free to open an issue ticket if there is a specific issue or question worth raising.

## **9.6 Indices and tables**

- `genindex`
- `search`

## PYTHON MODULE INDEX

### j

`jsonschema`, [1](#)



## Symbols

`__contains__()` (*jsonschema.exceptions.ErrorTree* method), 29  
`__getitem__()` (*jsonschema.exceptions.ErrorTree* method), 29  
`__init__()` (*jsonschema.exceptions.ErrorTree* method), 29  
`__iter__()` (*jsonschema.exceptions.ErrorTree* method), 29  
`__len__()` (*jsonschema.exceptions.ErrorTree* method), 29  
`__repr__()` (*jsonschema.exceptions.ErrorTree* method), 29  
`__setitem__()` (*jsonschema.exceptions.ErrorTree* method), 29

## A

`absolute_path` (*jsonschema.exceptions.ValidationError* attribute), 27  
`absolute_schema_path` (*jsonschema.exceptions.ValidationError* attribute), 27

## B

`base_uri()` (*jsonschema.RefResolver* property), 32  
`best_match()` (in module *jsonschema.exceptions*), 31  
`by_relevance()` (in module *jsonschema.exceptions*), 32

## C

`cache_remote` (*jsonschema.RefResolver* attribute), 32  
`cause` (*jsonschema.exceptions.ValidationError* attribute), 27  
`check()` (*jsonschema.FormatChecker* method), 24  
`check_schema()` (*jsonschema.IValidator* class method), 20  
`checkers` (*jsonschema.FormatChecker* attribute), 24  
`checks()` (*jsonschema.FormatChecker* method), 24  
`cls_checks()` (*jsonschema.FormatChecker* class method), 24  
`conforms()` (*jsonschema.FormatChecker* method), 25

`context` (*jsonschema.exceptions.ValidationError* attribute), 27  
`create()` (in module *jsonschema.validators*), 34

## D

`DEFAULT_TYPES` (*jsonschema.IValidator* attribute), 20  
`Draft3Validator` (class in *jsonschema*), 23  
`Draft4Validator` (class in *jsonschema*), 23  
`Draft6Validator` (class in *jsonschema*), 23  
`Draft7Validator` (class in *jsonschema*), 23

## E

`errors` (*jsonschema.exceptions.ErrorTree* attribute), 29  
`ErrorTree` (class in *jsonschema.exceptions*), 29  
`extend()` (in module *jsonschema.validators*), 34

## F

`FormatChecker` (class in *jsonschema*), 24  
`FormatError`, 25  
`from_schema()` (*jsonschema.RefResolver* class method), 33

## I

`in_scope()` (*jsonschema.RefResolver* method), 33  
`instance` (*jsonschema.exceptions.ValidationError* attribute), 27  
`is_type()` (*jsonschema.IValidator* method), 20  
`is_type()` (*jsonschema.TypeChecker* method), 22  
`is_valid()` (*jsonschema.IValidator* method), 21  
`iter_errors()` (*jsonschema.IValidator* method), 21  
`IValidator` (class in *jsonschema*), 20

## J

`jsonschema` (module), 1

## M

`message` (*jsonschema.exceptions.ValidationError* attribute), 26  
`META_SCHEMA` (*jsonschema.IValidator* attribute), 20

## P

parent (*jsonschema.exceptions.ValidationError* attribute), 27  
 path (*jsonschema.exceptions.ValidationError* attribute), 27  
 pop\_scope() (*jsonschema.RefResolver* method), 33  
 push\_scope() (*jsonschema.RefResolver* method), 33

## R

redefine() (*jsonschema.TypeChecker* method), 22  
 redefine\_many() (*jsonschema.TypeChecker* method), 22  
 RefResolutionError, 34  
 RefResolver (class in *jsonschema*), 32  
 relative\_path (*jsonschema.exceptions.ValidationError* attribute), 27  
 relative\_schema\_path (*jsonschema.exceptions.ValidationError* attribute), 27  
 relevance() (in module *jsonschema.exceptions*), 31  
 remove() (*jsonschema.TypeChecker* method), 22  
 resolution\_scope() (*jsonschema.RefResolver* property), 33  
 resolve() (*jsonschema.RefResolver* method), 33  
 resolve\_fragment() (*jsonschema.RefResolver* method), 33  
 resolve\_from\_url() (*jsonschema.RefResolver* method), 33  
 resolve\_remote() (*jsonschema.RefResolver* method), 33  
 resolving() (*jsonschema.RefResolver* method), 33

## S

schema (*jsonschema.exceptions.ValidationError* attribute), 27  
 schema (*jsonschema.Validator* attribute), 20  
 schema\_path (*jsonschema.exceptions.ValidationError* attribute), 27  
 SchemaError, 27

## T

total\_errors() (*jsonschema.exceptions.ErrorTree* property), 29  
 TYPE\_CHECKER (*jsonschema.Validator* attribute), 20  
 TypeChecker (class in *jsonschema*), 21

## U

UndefinedTypeCheck, 22  
 UnknownType, 23

## V

validate() (in module *jsonschema*), 19

validate() (*jsonschema.Validator* method), 21  
 validates() (in module *jsonschema.validators*), 35  
 ValidationError, 26  
 validator (*jsonschema.exceptions.ValidationError* attribute), 26  
 validator\_for() (in module *jsonschema.validators*), 35  
 validator\_value (*jsonschema.exceptions.ValidationError* attribute), 27  
 VALIDATORS (*jsonschema.Validator* attribute), 20